


COPPIE CONICHE SPIROIDALI




RAPPORTO 1:1

M	z	dp	dm	D1	F	de	Lm	L	A	Qm
1.5	16	24	18	8	6	25.3	9	16	16.7	24
	20	30	22	8	7	31.3	10	18	19.4	29 -0.05
	25	37.5	28	8	8	38.8	11.5	21	22.5	35 -0.10
	30	45	32	10	10	46.3	11	23	25.1	40
2	16	32	25	10	9	34	9.45	16.9	19.9	29
	20	40	32	10	12	42	11.95	21.7	24.9	36 -0.05
	25	50	40	12	14	52	11.9	24.8	27.4	42 -0.10
	30	60	50	12	16	62	12.95	26.9	29.9	48
2.5	16	40	32	12	10	42.5	13	21.8	24.8	37
	20	50	40	12	12	52.5	16	26.7	30.2	46 -0.05
	25	62.5	50	15	15	65	16	29.9	33.2	53 -0.10
	30	75	55	15	18	77.5	16	31.8	35	59
3	16	48	40	15	12	51	16	25.8	29.4	44
	20	60	45	15	18	63	13.5	30.7	34.5	51 -0.076
	25	75	55	15	20	78	16	33.7	37.5	60 -0.127
	30	90	60	20	22	93	19	35.8	39.5	68
4	16	64	50	15	15	68	17.75	30.8	36	56
	20	80	60	18	17	84	18	32.5	37.5	64 -0.102
	25	100	70	20	21	104	18	35.2	40.4	74 -0.152
	30	120	80	25	25	124	16	38.1	43.2	84
5	16	80	60	20	17	85	18.9	35.5	41.9	68
	20	100	70	20	21	105	18.5	37.7	44.8	78 -0.127
	25	125	90	20	26	130	18.5	41.8	47.8	90 -0.178
	30	150	110	30	32	155	18	45.7	52.5	103

MATERIALE: C 43 UNI 7847

COPPIE CONICHE SPIROIDALI



RAPPORTO 1:2

M	z	d_p	d_m	D_1	F	d_e	L_m	L	A	Q_m
1.5	16	24	20	10	8	26.50	9.5	17	18.6	35 -0.05 -0.10
	32	48	32	12	8	48.30	10	18	20.0	28 -0.05 -0.10
2	16	32	27	10	10	35.50	11.7	21	22.5	45 -0.05 -0.10
	32	64	40	12	10	64.50	10	21.5	24.1	35 -0.05 -0.10
2.5	16	40	32	12	12	44.50	14	25.1	27.5	56 -0.05 -0.10
	32	80	50	15	12	80.50	15	25.9	29.2	43 -0.05 -0.10
3	16	48	40	15	15	53.50	12	25.2	28.4	62 -0.076 -0.127
	32	96	60	15	15	97.00	15	29.8	34.6	51 -0.076 -0.127
4	16	64	50	20	20	71.50	13.5	32.2	36.2	81 -0.102 -0.152
	32	128	80	20	20	129.00	23	38.7	44.2	66 -0.102 -0.152
5	16	80	60	20	25	89.50	21	45.3	50.0	106 -0.127 -0.178
	32	160	90	25	25	162.00	27	46.8	53.7	81 -0.127 -0.178

MATERIALE: C 43 UNI 7847